LaBlanc Chiropractic Whole Body Health
SYMPTOMS SURVEY FORM

Patient		A	ge Doctor		Date
<ul> <li>INSTRUCTIONS: Number only the boxes which apply to you. Leave blank if you don't have the problem.</li> <li>* Write 1 in the box for MILD symptoms (occurs rarely).</li> <li>* Write 2 in the box for MODERATE symptoms (occurs several times a month).</li> <li>* Write 3 in the box for SEVERE symptoms (occurs almost constantly).</li> <li>Please do not use checkmarks in the boxes - fill in the boxes with a number or leave blank!</li> </ul>					
			GROUP 1		
1 2 3 4 5 6 7	Acid foods upset Get chilled often "Lump" in throat Dry mouth-eyes-nose Pulse speeds after meal Keyed up - fail to calm Cut heals slowly	8 9 10 11 12 13 14	Gag easily Unable to relax; startles easily Extremities cold, clammy Strong light irritates Urine amount reduced Heart pounds after retiring "Nervous" stomach	15 16 17 18 19 20	Appetite reduced Cold sweats often Fever easily raised Neuralgia-like pains Staring, blinks little Sour stomach often
			GROUP 2		
21 22 23 24 25 26 27 28	Joint stiffness on arising Muscle-leg-toe cramps at night "Butterfly" stomach, cramps Eyes or nose watery Eyes blink often Eyelids swollen, puffy Indigestion soon after meals Always seems hungry; feels "lightheaded" often	29	Digestion rapid Vomiting frequent Hoarseness frequent Breathing irregular Pulse slow; feels "irregular" Gagging reflex slow Difficulty swallowing Constipation, diarrhea alternating	37 38 39 40 41	<ul> <li>"Slow starter"</li> <li>Get "chilled" infrequently</li> <li>Perspire easily</li> <li>Circulation poor, sensitive to cold</li> <li>Subject to colds, asthma, bronchitis</li> </ul>
			GROUP 3		
42 43 44 45 46 47 48	Eat when nervous Excessive appetite Hungry between meals Irritable before meals Get "shaky" if hungry Fatigue, eating relieves "Lightheaded" if meals delayed	49 50 51 52	Heart palpitates if meals missed or delayed Afternoon headaches Overeating sweets upsets Awaken after few hours sleep - hard to get back to sleep	53 54 55	<ul> <li>Crave candy or coffee in afternoons</li> <li>Moods of depression - "blues" or melancholy</li> <li>Abnormal craving for sweets or snacks</li> </ul>
			GROUP 4		
56 57 58 59 60 61 62	Hands and feet go to sleep easily, numbness Sigh frequently, "air hunger" Aware of "breathing heavily" High altitude discomfort Opens windows in closed rooms Susceptible to colds and fevers Afternoon "yawner"	63   64   65   66   67   ]	Get "drowsy" often Swollen ankles, worse at night Muscle cramps, worse during exercise; get "charley horses" Shortness of breath on exertion Dull pain in chest or radiating into left arm, worse on exertion	68 69 70 71 72	<ul> <li>Bruise easily, "black and blue" spots</li> <li>Tendency to anemia</li> <li>"Nose bleeds" frequent</li> <li>Noises in head, or "ringing in ears"</li> <li>Tension under the breastbone, or feeling of "tightness", worse on exertion</li> </ul>

			GROUP 5		
73 🗌	Dizziness	83 🗌	Feeling queasy; headache over	91 🗌	Sneezing attacks
74	Dry skin		eyes	92	Dreaming, nightmare type bad
75 🗌	Burning feet	84 🗌	Greasy foods upset		dreams
76	Blurred vision	85	Stools light colored	93 🗌	Bad breath (halitosis)
=		=	÷	=	
	Itching skin and feet	86	Skin peels on foot soles	94	Milk products cause distress
78 🗌	Excessive falling hair	87 📃	Pain between shoulder blades	95 🗌	Sensitive to hot weather
79 📃	Frequent skin rashes	88 🔟	Use laxatives	96 🗌	Burning or itching anus
80 🗌	Bitter, metallic taste in mouth in mornings	89 🗌	Stools alternate from soft to watery	97 🗌	Crave sweets
81 🗌	Bowel movements painful or difficult	90 🗌	History of gallbladder attacks or gallstones		
82 🗌	Worrier, feels insecure		GROUP 6		
98 🗌	Loss of taste for meat	101 🗌	Coated tongue	104 🗌	Mucous colitis or "irritable
99 🗍	Lower bowel gas several hours	102 🗍	Pass large amounts of		bowel"
	after eating		foul-smelling gas	105 🗌	Gas shortly after eating
100 🗌	Burning stomach sensations,	103 🗌	Indigestion 1/2 - 1 hour after	106	Stomach "bloating" after eating
	eating relieves		eating; may be up to 3-4 hrs.		Stomach bloating after eating
			GROUP 7		
	(A)				(E)
				—	
107 🗌	Insomnia			150 🔟	Dizziness
108 🗌	Nervousness			151 🗌	Headaches
109 🗌	Can't gain weight		(C)	152 🗌	Hot flashes
110 🗍	Intolerance to heat	137 🗌	Failing memory	153 🗌	Increased blood
111	Highly emotional	138	Low blood pressure		pressure
=		139	•	154	
112	Flush easily	=	Increased sex drive	154 🗌	Hair growth on face or body (female)
113 🗌	Night sweats	140 🗌	Headaches, "splitting or	_	
114 📃	Thin, moist skin		rending" type	155 🗌	Sugar in urine
115 🗌	Inward trembling	141 🗌	Decreased sugar tolerance		(not diabetes)
116 🗌	Heart palpitates			156 🗌	Masculine tendencies
117 🗌	Increased appetite without				(female)
	weight gain				
118 🗌	Pulse fast at rest		(D)		
119	Eyelids and face twitch				(F)
120	Irritable and restless	142	Abnormal thirst	🗖	
		143 🗌	Bloating of abdomen	157 🗌	Weakness, dizziness
121 🗌	Can't work under pressure	144 🗌	Weight gain around hips or	158 🔄	Chronic fatigue
	-		waist	159 🗌	Low blood pressure
	(B)	145 🗌	Sex drive reduced or lacking	160 🗌	Nails weak, ridged
122 🗌	Increase in weight	146 🗍	Tendency to ulcers, colitis	161 🗍	Tendency to hives
123	Decrease in appetite	147	Increased sugar tolerance	162	Arthritic tendencies
124	Fatigue easily	148	Women: menstrual disorders	163	Perspiration increase
					-
125	Ringing in ears	149 🗌	Young girls: lack of menstrual	164	Bowel disorders
126 📃	Sleepy during day		function	165 📃	Poor circulation
127 🗌	Sensitive to cold			166 🔛	Swollen ankles
128 🗌	Dry or scaly skin			167 🗌	Crave salt
129 🗌	Constipation			168 🗌	Brown spots or bronzing of
130 🗍	Mental sluggishness				skin
131	Hair coarse, falls out			169 🗌	Allergies - tendency to
132	Headaches upon arising, wear				asthma
	off during day			170 🗌	Weakness after colds,
133 🗌	Slow pulse, below 65				influenza
134 🗍	Frequency of urination			171 🗌	Exhaustion - muscular and
135	Impaired hearing			•	nervous
136	Reduced initiative			172 🗌	Respiratory disorders

	GROUP 8				
<ul> <li>173 Apprehension</li> <li>174 Irritability</li> <li>175 Morbid fears</li> <li>176 Never seems to get well</li> <li>177 Forgetfulness</li> <li>178 Indigestion</li> <li>179 Poor appetite</li> <li>180 Craving for sweets</li> <li>181 Muscular soreness</li> <li>182 Depression; feelings of dread</li> </ul>	<ul> <li>183 Noise sensitivity</li> <li>184 Acoustic hallucinations</li> <li>185 Tendency to cry without reason</li> <li>186 Hair is coarse and/or thinning</li> <li>187 Weakness</li> <li>188 Fatigue</li> <li>189 Skin sensitive to touch</li> <li>190 Tendency toward hives</li> <li>191 Nervousness</li> <li>192 Headache</li> </ul>	<ul> <li>193 Insomnia</li> <li>194 Anxiety</li> <li>195 Anorexia</li> <li>196 Inability to concentrate; confusion</li> <li>197 Frequent stuffy nose; sinus infections</li> <li>198 Allergy to some foods</li> <li>199 Loose joints</li> </ul>			
FEMALE ONLY MALE ONLY					
<ul> <li>200 Very easily fatigued</li> <li>201 Premenstrual tension</li> <li>202 Painful menses</li> <li>203 Depressed feelings before menstruation</li> <li>204 Menstruation excessive and prolonged</li> <li>205 Painful breasts</li> </ul>	<ul> <li>206 Menstruate too frequently</li> <li>207 Vaginal discharge</li> <li>208 Hysterectomy/ovaries removed (write number 3)</li> <li>209 Menopausal hot flashes</li> <li>210 Menses scanty or missed</li> <li>211 Acne, worse at menses</li> <li>212 Depression of long standing</li> </ul>	213       Prostate trouble         214       Urination difficult or dribbling         215       Night urination frequent         216       Depression         217       Pain on inside of legs or heels         218       Feeling of incomplete bowel evacuation         219       Lack of energy			
IMPO Please list the five main complaints yo	220       Migrating aches and pains         221       Tire too easily         222       Avoids activity         223       Leg nervousness at night         224       Diminished sex drive				
2					
3					
5					

#### **BARNES THYROID TEST**


This test was developed by Dr. Broda Barnes, M.D. and is a measurement of the underarm temperature to determine hypo and hyperthyroid states. The test is conducted by the patient in the a.m. before leaving bed - with the temperature being taken for 10 minutes. The test is invalidated if the patient expends any energy prior to taking the test - getting up for any reason, shaking down the thermometer, etc. It is important that the test be conducted for exactly 10 minutes, making the prior positioning of both the thermometer and a clock important.

PRE-MENSES FEMALES AND MENOPAUSAL FEMALES Any two days during the month FEMALES HAVING MENSTRUAL CYCLES The 2nd and 3rd day of flow OR any 5 days in a row MALES Any 2 days during the month You can do the following test at home to see if you may have a functional low thyroid. Use an oral thermometer or a digital one. When you use a digital one, place the probe under your arm for 5 minutes then turn your machine on; continue on for an additional 5 minutes. When using a regular one, shake down the night before.

Date	 Temperature	
Date	 Temperature	

Please list any medications you are taking:	No Medications
Please list any vitamins, herbs, or supplements you are taking:	No Vitamins
Please list any allergies you have:	No Allergies
Please list any surgeries you have had in the past 12 months:	No Recent Surgeries
Please list any other surgeries or medical procedures you have had:	No Other Surgeries

TO BE COMPLETED BY DOCTOR			
Blood Pressure: Recumbent	Standing		
Pulse: Recumbent	Standing		
Hema-Combistix Urine Readings: pH       Albumin %       Glucose %			
Occult Blood pH of Saliva pH of Stool Specimen			
Blood Clotting Time Hemoglobin Blood Type Weight			



Date \_